

BELLA

BELLA SERIES


DESIGNED BY
MADS MILTERSEN

Cleanest combustion
High efficiency
Strong convection
Timeless design

DuplicAir® for simpel and easy air control
Self-closing door
Wood compartment door
Cast iron bottom
Molded vermiculite
Fresh air inlet included
Self-cleaning window
5 year warranty

Can be purchased:

Cold handle
Accumulation stone (9 kg)
Customized floorplate out of 6 mm glass



Find all models here:
[JYDEPEJSEN.COM](https://www.jydepejsen.com)


TECHNICAL DATA BELLA:

Heats approx... >100 m²
 Effect..... 3-5 kW
 Efficiency..... 82%
 Dust emission mg/Nm³..... 4 mg.
 Smoke extraction ø150 mm
 Chimney connection Top/back
 Weight 125 kg
 Colour Black/grey
 Combustion chamber dimensions
 (H x W x D)..... 430 x 318 x 255

CE approved
 Defra approved
 DIBt approved



* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



BELLA

SIDE GLASS

BELLA SERIES

DESIGNED BY
MADS MILTERSEN

Cleanest combustion
High efficiency
Strong convection
Timeless design

DuplicAir® for simpel and easy air control
Self-closing door
180° flame visibility
Wood compartment door
Cast iron bottom
Molded vermiculite
Fresh air inlet included
Self-cleaning window
5 year warranty

Can be purchased:

Cold handle
Accumulation stone (9 kg)
Customized floorplate out of 6 mm glass



Find all models here:
JYDEPEJSEN.COM


TECHNICAL DATA BELLA SIDE GLASS::

Heats approx..... >100 m²
 Effekt..... 3-5 kW
 Efficiency..... 82%
 Dust emission mg/Nm³..... 4 mg.
 Smoke extraction ø150 mm
 Chimney connection Top/back
 Weight 124 kg
 Colour Black/grey
 Combustion chamber dimensions
 (H x W x D)..... 430 x 318 x 255

CE approved
 Defra approved
 DIBt approved



* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



BELLA HIGH

BELLA SERIES

DESIGNED BY
MADS MILTERSEN

Cleanest combustion
High efficiency
Strong convection
Timeless design

DuplicAir® for simpel and easy air control
Self-closing door
Wood compartment door
Cast iron bottom
Molded vermiculite
Fresh air inlet included
Self-cleaning window
5 year warranty

Can be purchased:

Cold handle
Accumulation stone (45 kg)
Customized floorplate out of 6 mm glass



Find all models here:
JYDEPEJSEN.COM


TECHNICAL DATA BELLA HIGH:

Heats approx..... >100 m²
 Effekt..... 3-5 kW
 Efficiency..... 82%
 Dust emission mg/Nm³..... 4 mg.
 Smoke extraction ø150 mm
 Chimney connection Top/back
 Weight 136 kg
 Colour Black/grey
 Combustion chamber dimensions
 (H x W x D)..... 430 x 318 x 255

CE approved
 Defra approved
 DIBt approved



* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



BELLA HIGH

SIDE GLASS

BELLA SERIES


DESIGNED BY
MADS MILTERSEN

Cleanest combustion
High efficiency
Strong convection
Timeless design

DuplicAir® for simpel and easy air control
Self-closing door
180° flame visibility
Wood compartment door
Cast iron bottom
Molded vermiculite
Fresh air inlet included
Self-cleaning window
5 year warranty

Can be purchased:

Cold handle
Accumulation stone (45 kg)
Customized floorplate out of 6 mm glass



Find all models here:
JYDEPEJSEN.COM



TECHNICAL DATA BELLA HIGH SIDE GLASS:

Heats approx..... >100 m²
 Effekt..... 3-5 kW
 Efficiency..... 82%
 Dust emission mg/Nm³..... 4 mg.
 Smoke extraction ø150 mm
 Chimney connection Top/back
 Weight 135 kg
 Colour Black/grey
 Combustion chamber dimensions
 (H x W x D)..... 430 x 318 x 255

CE approved
 Defra approved
 DIBt approved



* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.

