

# ORION

## ORION SERIES

---

Cleanest combustion  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy  
air control

Cast iron door

Self-closing door with magnets

Fresh air inlet included

Cast iron bottom

Molded vermiculite

Self-cleaning window


Start-up function

Cold handle

5 year warranty

**Can be purchased**

Customized floorplate out of 6 mm glass



---

Find all models here:  
**JYDEPEJSEN.COM**


**TECHNICAL DATA ORION:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 3-8 kW  
 Efficiency ..... 79%  
 Dust emission mg/Nm<sup>3</sup> ..... 15 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 166 kg  
 Colour ..... Black/grey  
 Combustion chamber dimensions  
 (H x W x D) ..... 412 x 368 x 407

CE approved  
 Defra approved  
 DIBt approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



# ORION

## SOAPSTONE


### ORION SERIES

---

Cleanest combustion  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy  
air control  
Cast iron door  
Self-closing door with magnets  
Fresh air inlet included  
Cast iron bottom  
Molded vermiculite  
Self-cleaning window  
Start-up function  
Cold handle  
5 year warranty

**Can be purchased**  
Customized floorplate out of 6 mm glass



---

Find all models here:  
**JYDEPEJSEN.COM**




**TECHNICAL DATA ORION SOAPSTONE:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 3-8 kW  
 Efficiency ..... 79%  
 Dust emission mg/Nm<sup>3</sup> ..... 15 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 298 kg  
 Colour ..... Black/grey  
 Combustion chamber dimensions  
 (H x W x D) ..... 412 x 368 x 407

CE approved  
 Defra approved  
 DIBt approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.





# ORION

## SOAPSTONE SPECIAL


### ORION SERIES

---

Cleanest combustion  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy  
air control  
Cast iron door  
Self-closing door with magnets  
Fresh air inlet included  
Cast iron bottom  
Molded vermiculite  
Self-cleaning window  
Start-up function  
Cold handle  
5 year warranty

**Can be purchased**  
Customized floorplate out of 6 mm glass



---

Find all models here:  
**JYDEPEJSEN.COM**




**TECHNICAL DATA ORION SOAPSTONE SPECIAL:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 3-8 kW  
 Efficiency ..... 79%  
 Dust emission mg/Nm<sup>3</sup> ..... 15 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 326 kg  
 Colour ..... Black/grey  
 Combustion chamber dimensions  
 (H x W x D) ..... 412 x 368 x 407

CE approved  
 Defra approved  
 DIBt approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



# ORION

## MOCA CREAM SANDSTONE SPECIAL


### ORION SERIES

---

Cleanest combustion  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy  
air control  
Cast iron door  
Self-closing door with magnets  
Fresh air inlet included  
Cast iron bottom  
Molded vermiculite  
Self-cleaning window  
Start-up function  
Cold handle  
5 year warranty

**Can be purchased**  
Customized floorplate out of 6 mm glass



---

Find all models here:  
**JYDEPEJSEN.COM**




**TECHNICAL DATA ORION SANDSTONE SPECIAL:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 3-8 kW  
 Efficiency ..... 79%  
 Dust emission mg/Nm<sup>3</sup> ..... 15 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 326 kg  
 Colour ..... Black/grey  
 Combustion chamber dimensions  
 (H x W x D) ..... 412 x 368 x 407

CE approved  
 Defra approved  
 DIBt approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.





# ORION

## GREY WOOD SANDSTONE SPECIAL


### ORION SERIES

---

Cleanest combustion  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy  
air control  
Cast iron door  
Self-closing door with magnets  
Fresh air inlet included  
Cast iron bottom  
Molded vermiculite  
Self-cleaning window  
Start-up function  
Cold handle  
5 year warranty

**Can be purchased**  
Customized floorplate out of 6 mm glass



---

Find all models here:  
**JYDEPEJSEN.COM**



**TECHNICAL DATA ORION SANDSTONE SPECIAL:**

Heats approx. ....>140 m<sup>2</sup>  
 Effect.....3-8 kW  
 Efficiency.....79%  
 Dust emission mg/Nm<sup>3</sup>.....15 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 326 kg  
 Colour ..... Black/grey  
 Combustion chamber dimensions  
 (H x W x D).....412 x 368 x 407

CE approved  
 Defra approved  
 DIBt approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.

