

# ZETA

## FREESTANDING

### ZETA SERIES

---

Wood-burning stove and firewood storage in one  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy air control  
Full glass front  
Corten steel or black  
Cold handle  
Jydepejs H530 insert  
Space for large pieces of firewood  
Molded vermiculite  
Self-cleaning window  
5 year warranty

**Can be purchased**  
Fresh air inlet ø 100 mm.



---

Find all models here:  
**JYDEPEJSEN.COM**


**TECHNICAL DATA ZETA FREESTANDING:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 4-9 kW  
 Efficiency ..... 75%  
 Dust emission mg/Nm<sup>3</sup> ..... 28 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 170 kg  
 Colour ..... Corten/Black  
 Combustion chamber dimensions  
 (H x W x D) ..... 350 x 600 x 300

CE approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



# ZETA

## BASE

### ZETA SERIES

---

Wood-burning stove and firewood storage in one  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy air control  
Full glass front  
Corten steel or black  
Cold handle  
Jydepejs H530 insert  
Space for large pieces of firewood  
Molded vermiculite  
Self-cleaning window  
5 year warranty

**Can be purchased**  
Fresh air inlet ø 100 mm.



---

Find all models here:  
**JYDEPEJSEN.COM**


**TECHNICAL DATA ZETA BASE:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 4-9 kW  
 Efficiency ..... 75%  
 Dust emission mg/Nm<sup>3</sup> ..... 28 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 144 kg  
 Colour ..... Corten/Black  
 Combustion chamber dimensions  
 (H x W x D) ..... 350 x 600 x 300

CE approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.



# ZETA

## WALL

### ZETA SERIES

---

Wood-burning stove and firewood storage in one  
High efficiency  
Strong convection  
Timeless design

DuplicAir® for simpel and easy air control  
Full glass front  
Corten steel or black  
Cold handle  
Jydepejs H530 insert  
Space for large pieces of firewood  
Molded vermiculite  
Self-cleaning window  
5 year warranty

**Can be purchased**  
Fresh air inlet ø 100 mm.



---

Find all models here:  
**JYDEPEJSEN.COM**

**TECHNICAL DATA ZETA WALL:**

Heats approx. .... >140 m<sup>2</sup>  
 Effect ..... 4-9 kW  
 Efficiency ..... 75%  
 Dust emission mg/Nm<sup>3</sup> ..... 28 mg.  
 Smoke extraction ..... ø150 mm  
 Chimney connection ..... Top/back  
 Weight ..... 122 kg  
 Colour ..... Corten/Black  
 Combustion chamber dimensions  
 (H x W x D) ..... 350 x 600 x 300

CE approved



\* The numbers in parentheses show the distance to combustibles, when fitted with insulated flue.

